•			
√. Notice of Allowability	Application No.	Applicant(s)	(m)
	09/884,778	HALL ET AL.	(`
	Examiner	Art Unit	
	Tuan T. Dinh	2841	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIPORT of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate communing GHTS. This application is su	this application. If not included nication will be mailed in due co	ourse. THIS
1. This communication is responsive to <u>08/23/05</u> .			
2. The allowed claim(s) is/are <u>23,29,30,32 and 35</u> .			
 3. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 		· (f).	
2. Certified copies of the priority documents have	been received in Application	No	
3. Copies of the certified copies of the priority doc	• •		on from the
International Bureau (PCT Rule 17.2(a)).		•	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a ENT of this application.	a reply complying with the requ	irements
4. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAI es reason(s) why the oath or	MINER'S AMENDMENT or NO declaration is deficient.	TICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.		
(a) ☐ including changes required by the Notice of Draftspers	on's Patent Drawing Review	(PTO-948) attached	
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or i	n the Office action of	
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the ne header according to 37 CFR	drawings in the front (not the b	ack) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT R	sit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIOI	RIAL must be submitted. No LOGICAL MATERIAL.	ite the
Attachment(s)			
1. Notice of References Cited (PTO-892)		ormal Patent Application (PTO-	152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Sur Paper No./N	nmary (PTO-413), 1ail Date <u>08/23/05</u> .	
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 		mendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's S	statement of Reasons for Allow	ance
or biological Material	9.		•

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jack Friedman (Reg. No. 44,688) on August 23, 2005.

The application has been amended as follows: to overcome the references cited. Cancel claims 21-22, 24, 27-28, 31, and 36-39 without prejudice.

Allowable Subject Matter

2. Claims 23, 29-30, 32, and 35 are allowed.

The following is an examiner's statement of reasons for allowance:

For claims 23, 29, the reference of Reimann cited in the previous Office actions does disclose a method for forming a conductive path having a conductive element forming a conductive pad extending beyond a surface of a laminate, further, Rosenthal et al. (US 3,105,769) shows a sphere conductor (22) embedded into an insulator (10), but not extended beyond a surface of the insulator. However, they do not teach or render obvious in combination of the method having the conductive element, which is a sphere (as recited in claim 23), formed the conductive pad and extended beyond the

Art Unit: 2841

surface of the laminate, and a top surface of the conductive pad is coplanar with a top surface of the upper portion of the conductive element (as recited in claim 29). Also, there is no teaching or suggestion to modify these references to include this limitation.

For claims 30, 32, and 35, Reimann does disclose a structure having upper and lower portion of a conductive element embed into the laminate. However, Reimann do not disclose or further in view of any references cited that they fail to teach or render obvious in combination of part of the upper portion of the conductive element that extends above a conductive pad. There is no teaching or suggestion to modify these references to include this limitation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan T Dinh whose telephone number is 571-272-1929. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kammie Cuneo can be reached on 571-272-1957. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/884,778

Art Unit: 2841

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tuan Dinh August 23, 2005.

> RANDY W. GIBSON PRIMARY EXAMINER